



ECN# CHG BY DATE

NAD

10/01/19

WEB


APP'D

TAS

DESCRIPTION

A UPDATED TO STANDARD LAYOUT

REV



	ELEMENT SPECS					
	PART NUMBER	849				
	MATERIAL	POLYESTER				
	FLOW RATE	115 CF	M	196 m³/hr		
	SURFACE AREA	1.8 ft ²	2	0.2 m ²		
	I.D.	2.56"		65mm		
	O.D.	5.00"		127mm		
	HEIGHT	4.81"		122mm		
MATERI	IAL: CARBON STEEL FINISH: BLACK POWDER					

SOLBERG® Filtration • Separation • Silencing 630.773.1363 • www.solbergmfg.com

THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND THE PROPERTY OF SOLBERG MANUFACTURING INC. AND IT IS FURNISHED TO YOU WITH THE EXPRESS UNDERSTANDING THAT IT WILL NOT BE REPRODUCED, COPIED IN ANY MANNER, LOANED OR OTHERWISE TRANSFERRED TO OTHERS ENTIRELY OR IN PART, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT WAS FURNISHED. IT WILL BE RETURNED UPON REQUEST TO SOLBERG MANUFACTURING INC. THE ABOVE WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

TOLERANCES

DIMENSIONS ARE FOR REFERENCE ONLY. ALL DIMENSIONS ARE SUBJECT TO CHANGE **UPON PRODUCTION.**

UNLESS OTHERWISE SPECIFIED:
-DIMENSIONS ARE IN INCHES
-REF: APPROXIMATE DIMENSIONS, NO TOLERANCES APPLY
-FINISH: BREAK EDGES TO .005-.020 RADIUS/CHAMFER

MODEL NUMBER: CSL-849-151HCB	SHEET:
MODEL NOMBER. COL 646 TOTTIOD	1 OF 1

DESCRIPTION: CSL-849-151HC, BLACK

MODEL #: CSL-849-151HCB

PROJECT:	DRAWN BY: JEB	APPROVED BY: DDH	REV:
	DATE : 5/16/2017	DATE : 5/16/2017	Α