



THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND THE PROPERTY OF SOLBERG MANUFACTURING INC. AND IT IS FURNISHED TO YOU WITH THE EXPRESS UNDERSTANDING THAT IT WILL NOT BE REPRODUCED, COPIED IN ANY MANNER, LOANED OR OTHERWISE TRANSFERRED TO OTHERS ENTIRELY OR IN PART, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT WAS FURNISHED. IT WILL BE RETURNED UPON REQUEST TO SOLBERG MANUFACTURING INC. THE ABOVE RESTRICTION IS IN ADDITION TO, AND DOES NOT IN ANY WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

TOLERANCES

DIMENSIONS ARE FOR REFERENCE ONLY. ALL DIMENSIONS ARE SUBJECT TO CHANGE **UPON PRODUCTION.**

UNLESS OTHERWISE SPECIFIED: -DIMENSIONS ARE IN INCHES -REF: APPROXIMATE DIMENSIONS, NO TOLERANCES APPLY -FINISH: BREAK EDGES TO .005-.020 RADIUS/CHAMFER



		ELEMENT SPECS						
		PART NUMBER	235P					
			MATERIAL		Polye	ester		
		FLOW RATE	570 CFM		968 m³/hr			
		SURFACE AREA	8.3 ft ²		0.8 m ²			
			I.D.	4.75"		121mm		
			O.D.	7.88"		200mm		
		HEIGHT	9.63"		244mm			
	MODEL #: CT-235P-401C	MATERIAL:	CAST ALUMINUM/CARBON	STEEL FINISH: NONE/BLACK PAINT				
	MODEL NUMBER: CT-235P-401C						SHEET: 1 OF 1	
	DESCRIPTION: CT-235P-401C, BLACK							
PLY	PROJECT: DRA		WN BY: CRW	APPROVED BY:		CRW		REV:
			E: 3/10/2014	DATE: 3/10/2014				