







ELEMENT SPECS				
PART NUMBER	335P			
MATERIAL	Polyester			
FLOW RATE	800 CFM	1359 m³/hr		
SURFACE AREA	12.0 ft ²	1.1 m ²		
I.D.	SEE DRAWING			
O.D.	SEE DRAWING			
HEIGHT	SEE DRAWING			



THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND THE PROPERTY OF SOLBERG MANUFACTURING INC.
AND IT IS FURNISHED TO YOU WITH THE EXPRESS COPIED IN ANY MANNER, LOANED OR OTHERWISE
TRANSFERRED TO OTHERS ENTIRELY OR IN PART, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT WAS FURNISHED. IT WILL BE RETURNED UPON REQUEST TO SOLBERG MANUFACTURING INC. THE ABOVE RESTRICTION IS IN ADDITION TO, AND DOES NOT IN ANY WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

TOLERANCES

DIMENSIONS ARE FOR REFERENCE ONLY. ALL DIMENSIONS ARE SUBJECT TO CHANGE **UPON PRODUCTION.**

UNLESS OTHERWISE SPECIFIED:
-DIMENSIONS ARE IN INCHES
-REF: APPROXIMATE DIMENSIONS, NO TOLERANCES APPLY
-FINISH: BREAK EDGES TO .005-.020 RADIUS/CHAMFER

MODEL NUMBER: 335P	335D	SHEET:
	333F	1 OF 1

DESCRIPTION: 335P, POLY

PROJECT:	DRAWN BY: CRW	APPROVED BY: A.A.	REV
SD11493	DATE : 6/10/2004	DATE : 6/10/2004	В